PROJECT 10073 RECORD CARD

1. DATE	2. LOCATION		12. CONCLUSIONS		
10 December 1956 3. DATE-TIME GROUP Local	Victoria, Texas 4. TYPE OF OBSERVATION Ground-Visual Ground-Radar		Was Balloon Probably Balloon Possibly Balloon XX Was Aircraft Probably Aircraft		
GMT 10/2000Z	XX Air-Visual	☐ Air-Intercept Radar	Probably Aircraft Possibly Aircraft		
5. PHOTOS DYes XXXVo	USAF Pilot		D Was Astronomical D Probably Astronomical D Possibly Astronomical		
7. LENGTH OF OBSERVATION 15 minutes	8. NUMBER OF OBJECTS ONO	9. COURSE E to N	O , Other		
10. BRIEF SUMMARY OF SIGHTING		11. COMMENTS			
Silver object with straigh wing, having engine rods or large wing pods intakes observed between 56,000-62,000 feet. Small contrail, estimated speed Mach 85.		Object was definitely aircraft. Believed to be USAF recon- naissance type on experimental test mission.			
	Sol				

ATIC FORM 329 (REV 26 SEP 52)

Witness

15

Hq 450th Fighter-Day Wing, Foster AFB, Tex, 11 Dec 1956, Subject: UFOB Report

TIND


2d Ind

Hq Tactical Air Command, Langley Air Force Base, Virginia 1 8 DEC 1956

- TO: Commander, Air Defense Command, Ent Air Force Base, Colorado Springs, Colorado
- 1. The attached AF Form 112 was forwarded to this headquarters, apparently in error.
- 2. Ninth Air Force has been advised that these reports should be furnished directly to your command as provided in Air Force Regulation 200-2.

FOR THE COMMANDER:

1 Incl n/o R. H. SMITH Colonel, USAF Deputy for Intelligence



Hoodquarters 450TH FIGHTER_DAY WING United States Air Force Foster Air Force Base, Texas

11 December 1956

SUBJECT: UFOB Report

TO:

Director of Intelligence

Ninth Air Force

Shaw Air Force Base, South Carolina

- 1. The following UFOB Rejort was received from Intelligence, 322nd Fighter-Day Group, Foster Air Force Base, Texas.
- 2. Report is compiled in accordance with format specified in AFR 200-2, UFOB, dated 12 August 1954.
 - 3. Comments of this office are attached as item number 13.

CLARENCE E. BELINN

1st Lt. USAF Intelligence Officer

MAFOI

1st Ind

Directorate of Intelligence, Hq Ninth AF, Shaw AFB, S. C., 13 Dec 1956

TO: Deputy for Intelligence, Tactical Air Command, Langley AFB, Virginia

1 Incl n/c 293.

	INFORMATION DECORT		
STACE TO SEE THE SECOND	INFORMATION REPORT		***
AREA REPORT CONCERNS Victoria, Texas			
AGENCY OF ORIGIN	Wing (TAC) DATE OF REPORT		
Hq, 450th Fighter-Day Foster Air Force Base,		r 1956	
SOURCE OF INFORMATION	DATE OF INFORMAT	ION	
Pilot Report, 452nd Fi	Force Base, Tex. 10 Dec	c 1956	
PREPARING OFFICER	EVALUATION		
C. E. Belinn, 1st Lt,	USAF B-2		100
REFERENCES (Control number, directive, previous re		(1920年) 1920年 - 1920年	
AFR 200-2, dated 12 A	lugust 1954		
UFOB Report		"我们就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	
1. a. Aircraft	выразнов трани опечение разадзара.	List inclosures at lower left. Begin lext of report on AF Form	
b. Silver dollar c. Silver		down half	4
d. One		6 tombray.	1.7
9. N/A			0
f. Straight-wing,	wing almost twice as	long as fuselage, no tip	
(think it was the latt	er). Estimate wing-spa	or large wing root intakes	
ME STATE OF THE ST			41.10
altitude at 56,000 to	62,000 feet. Estimate	speed at .85 true Mach.	1
altitude at 56,000 to g. Contrail s	62,000 feet. Estimate	speed at .85 true Mach.	
altitude at 56,000 to g. Contrail s h. Unheard	62,000 feet. Estimate mall	speed at .85 true Mach.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space betw	62,000 feet. Estimate mall a, configuration similates trailing edge of warming edge edge of warming edge edge edge edge edge edge edge ed	ar to F-89 or T-33 except ing and leading edge of	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space betw empennage. Position of	62,000 feet. Estimate mall a, configuration similated to the seminated to	speed at .85 true Mach.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space betw	62,000 feet. Estimate mall a, configuration similated to the seminated to	ar to F-89 or T-33 except ing and leading edge of	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space betw empennage. Position of signted). Was not a p 2. a. Contrail	62,000 feet. Estimate mall e, configuration similarent trailing edge of work empennage estimated to cointed nose aircraft.	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space between empennage. Position of signted). Was not a p 2. a. Contrail b. 50 elebation,	62,000 feet. Estimate mall a, configuration similarent trailing edge of whof empennage estimated to cinted nose aircraft.	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually	
altitude at 56,000 to g. Contrail s h. Unheard i. Large wing are very little space betw empennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation,	62,000 feet. Estimate mall a, configuration similarent trailing edge of who fempennage estimated to cointed nose aircraft. 90° azimuth, 20 miles of azimuth	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually	
altitude at 56,000 to g. Contrail s h. Unheard i. Large wing are very little space betw empennage. Position of signted). Was not a p 2. a. Contrail b. 50 elevation, c. 850 elevation, d. Straight and 1	62,000 feet. Estimate mall a, configuration similar een trailing edge of whof empennage estimated to cointed nose aircraft. 90° azimuth evel	ar to F-89 or T-33 excepting and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space betweenpennage. Position of signted). Was not a p 2. a. Contrail b. 50 elevation, c. 850 elevation, d. Straight and 1 e. Pilot left obj fuel.	62,000 feet. Estimate mall 6a, configuration similar entrailing edge of whof empennage estimated cointed nose aircraft. 90° azimuth evel est to return to home here.	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually	
altitude at 56,000 to g. Contrail s h. Unheard i. Large wing are very little space betweenpennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m	62,000 feet. Estimate mall a, configuration similar ended to a simular edge of with the content of the content	ar to F-89 or T-33 excepting and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space betweenpennage. Position of signted). Was not a p 2. a. Contrail b. 50 elevation, c. 850 elevation, d. Straight and 1 e. Pilot left obj fuel.	62,000 feet. Estimate mall a, configuration similar ended to a simular edge of with the content of the content	ar to F-89 or T-33 excepting and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large wing are very little space betw empennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m 3. a. Air visual b. None c. F-100C (config	62,000 feet. Estimate mall a, configuration similar een trailing edge of whom of empennage estimated cointed nose aircraft. 90° azimuth, 20 miles of azimuth evel ect to return to home hainutes	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large wing are very little space betw empennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m 3. a. Air visual b. None c. F-100C (config feet, 055°, speed of	62,000 feet. Estimate mall a, configuration similar on trailing edge of with the service of empennage estimated cointed nose aircraft. 90° azimuth evel ect to return to home harmon 2-275 gal tank 93 true Mach	ar to F-89 or T-33 excepting and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large wing are very little space betweenpennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m 3. a. Air visual b. None c. F-100C (config feet, 055°, speed of 4. a. 1020COZ - De	62,000 feet. Estimate mall a, configuration similar on trailing edge of with the service of empennage estimated cointed nose aircraft. 90° azimuth evel ect to return to home harmon 2-275 gal tank 93 true Mach	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large wing are very little space betw empennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m 3. a. Air visual b. None c. F-100C (config feet, 055°, speed of	62,000 feet. Estimate mall a, configuration similar on trailing edge of with the service of empennage estimated cointed nose aircraft. 90° azimuth evel ect to return to home harmon 2-275 gal tank 93 true Mach	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space between pennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m 3. a. Air visual b. None c. F-100C (config feet, 055°, speed of 4. a. 1020COZ - De b. Day (CAVU)	62,000 feet. Estimate mall a, configuration similar on trailing edge of with the service of empennage estimated cointed nose aircraft. 90° azimuth evel ect to return to home harmon 2-275 gal tank 93 true Mach	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space between pennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m 3. a. Air visual b. None c. F-100C (config feet, 055°, speed of 4. a. 1020COZ - De b. Day (CAVU)	62,000 feet. Estimate mall a, configuration similar on trailing edge of with the service of empennage estimated cointed nose aircraft. 90° azimuth evel ect to return to home harmon 2-275 gal tank 93 true Mach	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space between pennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m 3. a. Air visual b. None c. F-100C (config feet, 055°, speed of 4. a. 1020COZ - De b. Day (CAVU)	62,000 feet. Estimate mall a, configuration similar on trailing edge of with the service of empennage estimated cointed nose aircraft. 90° azimuth evel ect to return to home harmon 2-275 gal tank 93 true Mach	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space between pennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m 3. a. Air visual b. None c. F-100C (config feet, 055°, speed of 4. a. 1020COZ - De b. Day (CAVU)	62,000 feet. Estimate mall a, configuration similar on trailing edge of with the service of empennage estimated cointed nose aircraft. 90° azimuth evel ect to return to home harmon 2-275 gal tank 93 true Mach	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually out.	
altitude at 56,000 to g. Contrail s h. Unheard i. Large Wing are very little space between pennage. Position of signted). Was not a p 2. a. Contrail b. 5° elevation, c. 85° elevation, d. Straight and 1 e. Pilot left obj fuel. f. Fifteen (15) m 3. a. Air visual b. None c. F-100C (config feet, 055°, speed of 4. a. 1020COZ - De b. Day (CAVU)	62,000 feet. Estimate mall a, configuration similar on trailing edge of with the service of empennage estimated cointed nose aircraft. 90° azimuth evel ect to return to home harmon 2-275 gal tank 93 true Mach	ar to F-89 or T-33 except ing and leading edge of to be low. (Not actually out.	

This document contains information affecting the national delense of the United States within the meaning of the Espio
Les, Title 18, U.S. C., Section 793 and 794. Its transmission or the revelation of its contents in any manner to an unauthorized

by a making the section 793 and 794. Its transmission or in part, by other than United States Air Force Agencies, except by